

## MARC 21 (Authority Format): Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
000 (NR) Leader	00-04 Record length		
	05 Record status		"n" "d"
	06 Type of record		"z"
	07-08 Undefined character positions		##
	09 Character coding scheme		#, if MARC-8 "a", if Unicode
	10 Indicator count		"2"
	11 Subfield code length		"2"
	12-16 Base address of data		
	17 Encoding level		"n" "o"
	18-19 Undefined character positions		##
	20 Length of the length-of-field portion		"4"
	21 Length of the starting-character-position portion		"5"
	22 Length of the implementation-defined portion		"0"
	23 Undefined		"0"
001 (NR) CONTROL NUMBER			
003 (NR) CONTROL NUMBER IDENTIFIER			DE-101
005 (NR) DATE AND TIME OF LATEST TRANSACTION			Date: YYYYMMDD Time: HHMMSS.ZHT
008 (NR) FIXED-LENGTH DATA ELEMENTS--GENERAL INFORMATION	00-05 Date entered on file		Date: YYMMDD
	06 Direct or indirect geographic subdivision		"n"
	07 Romanization scheme		" "
	08 Language of catalog		" "
	09 Kind of record		"a" "b"
	10 Descriptive cataloging rules, Other		"z"

## MARC 21 (Authority Format): Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	11 Subject heading system/thesaurus		"z" "n"
	12 Type of series		"n"
	13 Numbered or unnumbered series		"n"
	14 Heading use--main or added entry		"a"
	15 Heading use--subject added entry		"b"
	16 Heading use--series added entry		"b"
	17 Type of subject subdivision		"n"
	18-27 Undefined character positions		all blanks
	28 Type of government agency		# "o"
	29 Reference evaluation		" "
	30 Undefined character position		#
	31 Record update in process		"a"
	32 Undifferentiated personal name		"a" "b" "n"
	33 Level of establishment		"a" "c" "n"
	34-37 Undefined character positions		All blanks
	38 Modified record		" "
	39 Cataloging source		"c"
035 (R) SYSTEM CONTROL NUMBER	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (NR) System control number		MARC-Subfield is introduced by "(DE-588a)" for PND-ID
	\$a (NR) System control number		MARC-Subfield is introduced by "(DE-588c)" for SWD-ID
	\$a (NR) System control number		MARC-Subfield is introduced by "(DE-101)" for DNB-ID
	\$z (R) Canceled/invalid system control number		MARC-Subfield is introduced by "(DE-588a)" for PND-ID

## MARC 21 (Authority Format): Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	\$z (R) Canceled/invalid system control number		MARC-Subfield is introduced by " (DE-101c)" for DMA-ID
039 (NR) CODING SPECIFIC TO AUTHORITY RECORDS	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a Sex		
040 (NR) CATALOGING SOURCE	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (NR) Original cataloging agency		ISIL of the agency
040 (NR) CATALOGING SOURCE	\$b (NR) Language of cataloging		"ger"
	\$c (NR) Transcribing agency		DE-101
	\$d (R) Modifying agency		4-digit-Code
	\$e (NR) Description conventions		"rakwb"
	\$f (NR) Subject heading or thesaurus conventions		"rswk"
043 (NR) GEOGRAPHIC AREA CODE	First Undefined		
	Second Undefined		
	\$c (R) ISO code		Code see DIN EN 23166 (ISO 3166)
049 (R) LANGUAGE CODE	First Undefined	# Undefined	
	Second Source of code	7 Source specified in subfield \$2	
	\$2 (R) Source of code		"ISO 639-2"
	\$a (R) Language code		Codes see ISO/TC46/SC4-N350
065 (R) OTHER CLASSIFICATION NUMBER	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$2 (NR) Number source		"sswd"

MARC 21 (Authority Format):  
Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	\$a (NR) Classification number element - single number or beginning of span		
079 (NR) CODING SPECIFIC TO AUTHORITY RECORDS	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (NR) Record and Entity Type		"k", if GKD "p", if PND "s", if SWD
	\$q (R) Authority File Section Code		
	\$t (R) Other Cataloguing Source Code		
	\$u (R) Institution/Section Code		
	\$v (R) Subentity Code		
100 (NR) HEADING--PERSONAL NAME			
	First Type of personal name entry element	0 Forename	
		1 Surname	
		3 Family name	
	\$a (NR) Personal name		
	\$c (R) Titles and other words associated with a name		
	\$d (NR) Dates associated with a name		
400 (R) SEE FROM TRACING--PERSONAL NAME			
	First Type of personal name entry element	0 Forename	
		1 Surname	
		3 Family name	
	Second Undefined	# Undefined	
	\$9 Other Information, Notes		
	\$a (NR) Personal name		

MARC 21 (Authority Format):  
Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	\$c (R) Titles and other words associated with a name		
	\$d (NR) Dates associated with a name		
	\$i (NR) Reference instruction phrase		"rakoeb" "rakwb" "rak" "aacr"
	\$w (NR) Control subfield		"i"
500 (R) SEE ALSO FROM TRACING--PERSONAL NAME			
	First Type of personal name entry element	0 Forename	
	First Type of personal name entry element	1 Surname	
		3 Family name	
	Second Undefined	# Undefined	
	\$0 (R) Record control number		MARC-Subfield is introduced by "(DE-588a)" for PND-ID
	\$0 (R) Record control number		MARC-Subfield is introduced by "( DE-101)" for DNB-ID
	\$9 (R) Notes		
	\$a (NR) Personal name		
	\$c (R) Titles and other words associated with a name		
	\$d (NR) Dates associated with a name		
	\$i (NR) Reference instruction phrase		
509 (R) RELATED PERSON	First	0 Forename	
		1 Surname	
		3 Family name	
	\$0 (R) Record control number		MARC-Subfield is introduced by "(DE-588a)" for PND-ID
	\$0 (R) Record control number		MARC-Subfield is introduced by "( DE-101)" for DNB-ID

## MARC 21 (Authority Format): Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	\$9 (NR) Notes		
	\$a (NR) Personal name		
	\$c (R) Titles and other words associated with a name		
	\$i (NR) Reference instruction phrase	"familiäre Beziehung" "Korrespondent " "Sonstige Beziehung"	familial relationship correspondent other relationship
519 (R) SEE ALSO FROM TRACING-- CORPORATE NAME			
	First Type of corporate name entry element	1 Jurisdiction name	
		2 Name in direct order	
	Second Undefined	# Undefined	
	\$0 (R) IDN		MARC-Subfield is introduced by "( DE- 588b)" for GKD-ID
	\$0 (R) IDN		MARC-Subfield is introduced by "( DE- 101)" for DNB-ID
	\$9 Notes		
	\$a (NR) Corporate name or jurisdiction name as entry element		
	\$b (R) Subordinate unit		
	\$i (NR) Reference instruction phrase	"Affiliation" "Verwandte Körperschaft"	"affiliation" "related corporate body"
	\$w (NR) Control subfield		"i"
	\$x (R) General subdivision		
539 (R) RELATED WORK			
	First Undefined	# Undefined	

## MARC 21 (Authority Format): Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	Second Number of nonfiling characters	0 No nonfiling characters	
	\$9 (NR) Notes		
	\$a (NR) Uniform title		
	\$i (NR) Reference instruction phrase	"verwandter Titel"	"related work"
	\$w (NR) Control subfield		"i"
	\$x (R) General subdivision		
549 (R) DATES			
	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (NR) Chronological term		
	\$i (NR) Reference instruction phrase	"Lebensdaten" "Wirkungsdaten" " "Zeit" "exakte Lebensdaten" "exakte Wirkungsdaten"	Dates of birth/death (yyyy) Flourish dates  Time period, not standardized Exact dates of birth/death (dd-mm- yyyy) Exact flourish dates (dd-mm-yyyy)
	\$w (NR) Control subfield		"i"
559 (R) RELATED CONCEPT			
	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$0 (NR) Authority Record Control Number		MARC-Subfield is introduced by "(DE- 588c" for SWD-ID
	\$0 (R) Authority Record Control Number		MARC-Subfield is introduced by "( DE- 101)" for DNB-ID
	\$9 (NR) Notes		
	\$a (NR) Topical term or geographic name entry element		

MARC 21 (Authority Format):  
Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	\$i (NR) Reference instruction phrase	"Adelstitel" "akademischer Titel" "Studienfach" "Berufsbezeichnung" "Vorzugsbezeichnung" (im Anzeigeformat nicht als Zusatz für Personennamen zugelassen) "Berufsbezeichnung" "Vorzugsbezeichnung" (im Anzeigeformat nicht als Zusatz für Personennamen zugelassen) "Berufsbezeichnung, Dienstbezeichnung, nicht normiert" "(Musik) beteiligt als" "(Musik) Interpretenfunktion" "(Musik) sonstige Funktion"	Title of nobility Academic title Field of study Profession/occupation, authorized term (authorized for use as addition in display formats) Profession/occupation, authorized term (not authorized for use as addition in display formats) Profession, occupational title (not authorized) Designator for role in musical resources, codes Designator for role in musical performances (instruments), authorized abbreviations Other role in musical resources
	\$w (NR) Control subfield		"i"
	\$x (R) General Subdivision		
569 (R) RELATED GEOGRAPHIC ENTITY			
	First Undefined	# Undefined	

## MARC 21 (Authority Format): Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	Second Undefined	# Undefined	
	\$0 (NR) Authority Record Control Number		MARC-Subfield is introduced by "(DE-588c" for SWD-ID
	\$0 (NR) Authority Record Control Number		MARC-Subfield is introduced by "( DE-101)" for DNB-ID
	\$9 (NR) Notes		
	\$a (NR) Geographic name		
	\$i (NR) Reference instruction phrase	"Geburtsort" "Sterbeort" "Wirkungsort" "Exilland"	Place of birth Place of death Place of activity Country of exile
	\$w (NR) Control subfield		"i"
	\$x (R) General Subdivision		
667 (R) NONPUBLIC GENERAL NOTE			
	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (NR) Nonpublic general note		
670 (R) SOURCE DATA FOUND	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (NR) Source citation		
675 (NR) SOURCE DATA NOT FOUND	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (R) Source citation		
678 (R) BIOGRAPHICAL OR HISTORICAL DATA	First Type of data	# No information provided	
	Second Undefined	# Undefined	
	\$9 (NR) Notes		

## MARC 21 (Authority Format): Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	\$a (R) Biographical or historical data		
680 (R) PUBLIC GENERAL NOTE			
	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$5 (R) Institution to which field applies		DE-588a DE-588c DLC
	\$i (R) Explanatory text		MARC-Subfield introduced by "Benutzungshinweis: _ "
682 (NR) DELETED HEADING INFORMATION	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$0 (R) Replacement authority record control number		MARC-Subfield is introduced by "(DE- 588a)" for PND-ID
	\$0 (R) Replacement authority record control number		MARC-Subfield is introduced by "( DE- 101)" for DNB-ID
	\$a (R) Replacement heading		
	\$i (R) Explanatory text		
692 (R) WORKS OF THE PERSON			
	First Undefined	# Undefined	
	Second Undefined	# Undefined	
	\$a (NR) Title and year of publication		
700 (R) ESTABLISHED HEADING LINKING ENTRY--PERSONAL NAME			
	First Type of personal name entry element	0 Forename	
		1 Surname	
		3 Family name	

MARC 21 (Authority Format):  
Used Fields for the PND

As at April 3 2009

MARC 21 Field	MARC 21 Position / Indicator / Subfield	MARC 21 value	Content
	Second Thesaurus	7 Source specified in subfield \$2	
	\$0 (R) Record control number		DLC
700 (R) ESTABLISHED HEADING LINKING ENTRY--PERSONAL NAME	\$2 (NR) Source of heading or term	rswk naf	
	\$a (NR) Personal name		
	\$c (R) Titles and other words associated with a name		
700 (R) ESTABLISHED HEADING LINKING ENTRY--PERSONAL NAME	\$d (NR) Dates associated with a name		
856 (R) ELECTRONIC LOCATION AND ACCESS	First Access method	4 HTTP	
	Second Relationship	# No information provided	
856 (R) ELECTRONIC LOCATION AND ACCESS	\$u (R) Uniform Resource Identifier		